

Stylish, Compact And Portable Printing Four-inch width portable printer weighing just 540g



Picture shows PD24 on typical vehicle mounting plate.

CITIZEN PD-24

PORTABLE PRINTING

Typical Applications

- Route Accounting
- Law Enforcement
- Field Service
- Instant Quotations
- Medical Instrumentation
- Restaurants & Hospitality



Easy media loading

The clamshell design makes for easy media loading. Simply drop the roll on the media holder spools, pull a small amount of media forward and close the cover.



Battery or mains

A Lithium Ion battery and AC charger are included as standard for maximum flexibility in power options.

Product Versions

Standard Model

Features USB interface with miniature connector, RS232C Serial up to 115Kbps and Infrared IrDA interfaces.



Bluetooth® Model

In addition to the standard interfaces, this model has an integrated Bluetooth wireless interface compatible with a range of terminals and PDAs.

Features

- High-speed: up to 50 mm per second; a 150 mm long receipt can be printed in 3 seconds.
- Clamshell mechanism for easy paper roll loading.
- VuePrint™ menu system for quick configuration.
- Intergrated tear-bar to cut paper to length
- Easy-to-change Lithium Ion battery technology for long print runs on one charge
- AC adapter as standard to recharge batteries on board and even power the printer.
- Light weight design: 440 grams for the printer or 750 grams with battery and full paper roll.
- Shoulder strap option makes the PD24 easy to carry.
- Vehicle charging option (car lighter adapter)

Dealer Stamp

1200000

Printer Specifications

Model Version	PD24 (Standard)	PD24 (Bluetooth®)
Technology	Direct Thermal	
Resolution	203 dpi (8 dots per mm), 832 dots in total width.	
Standard Interfaces	USB, RS-232C Serial, IrDA Infrared	Bluetooth®, USB, RS-232C Serial, IrDA Infrared
Print Speed (maximum)	2 inches per second (50 mm per second) at 5% coverage, density setting '0'	
Print Width (maximum)	4.09 inches, 104.0 mm	
Media Width (maximum)	4.41 inches, 112.0 mm	
Media Length (min to max)	From 0.25 inches (6mm) to paper roll length, software dependent.	
Roll Size (max), Core Size (min)	50 mm maximum outside diameter. Recommended core size of 8.5 mm	
Media Sensor	Reflective media sensor for detection of black registration marks	
Media Types	Continuous roll receipt paper, printing surface outside wound	
Battery	Lithium Ion (Li-Ion), typically 7.2 volts. Typical capacity of 2330 mAh	
Battery Printing Capacity	25,000 lines (minimum) printing full ASCII pattern, density setting '0'	
Emulations (Languages)	ESC/P™, Citizen Original Commands, ESC/POS™ (for barcode commands only)	
Barcodes Types Supported	Code 39, Codabar, ITF, Code 128, UPC-A, UPC-E, EAN-8, EAN-13, Code 93, UCC/EAN, QR Code, PDF 417	
Case Type	Elastomer over-moulded plastic	
Mechanism Type	Clamshell, easy-to-load, wide opening design	
Control Panel	3 buttons: Menu, Feed and Power. VuePrint™ menu & configuration system	
Input Buffer	64 Kb	
Windows® drivers	Free-of-charge from website, including support for Windows® XP®, Vista®	
Size (W x D x H mm)	147 x 140 x 63	
Weight (approximately)	740 g (including printer, battery, full paper roll)	
Component Weights (approx)	Printer: 440 g. Battery pack: 100 g. Full media roll: 200 g. AC charger: 222 g (without cord)	
Operational Environment	+5°C to +40°C (guaranteed print quality) at 30% to 90% relative humidity, non-condensing	
Storage Environment	-25°C to +60°C. Allow to come to operating temperature after storage.	



multisystems

Η multisystems διανέμει και υποστηρίζει τεχνικά, προϊόντα από τους μεγαλύτερους οίκους κατασκευής σε Barcode scanners, εκτυπωτές ετικετών, φορητά τερματικά, λύσεις πλαστικών καρτών τύπου πιστωτικής καθώς και συστήματα λιανικής πώλησης όπως συστήματα Point of sale, ταμειακές μηχανές και φορολογικούς μηχανισμούς.

Στις εγκαταστάσεις μας στο Αιγάλεω λειτουργεί πλήρως εξοπλισμένο τεχνικό εργαστήριο με άρτια καταρτισμένους μηχανικούς που μπορούν να δώσουν λύσεις ακόμα και στις πιο δύσκολες μηχανογραφικές προκλήσεις του χώρου της βιομηχανίας, της εφοδιαστικής αλυσίδας και της λιανικής.

Σας εξυπηρετούμε έναν – έναν προσωπικά προσφέροντας σας τον προσωπικό σας τεχνικό σύμβουλο ο οποίος γνωρίζει τις ανάγκες και τις ιδιαιτερότητες της επιχείρησής σας ενώ σας εξυπηρετεί σε όλη την πορεία της συνεργασίας σας μαζί μας ή εξέλιξης του έργου σας. Είμαστε δίπλα σας να σας συμβουλέψουμε να επιλέξετε τον σωστό εξοπλισμό μέσα από μια ευρύτατη γκάμα 12.000 προϊόντων τεχνολογίας για όλες τις ανάγκες από τα πιο επώνυμα εργοστάσια της παγκόσμιας αγοράς.

Για την καλύτερη εξυπηρέτησή σας έχουμε διαχωρίσει τα εμπορικά και τα τεχνικά μας τμήματα σε 6 διακριτές ενότητες τις οποίες μπορείτε να δείτε στον πίνακα που ακολουθεί προκειμένου να σας εξυπηρετούμε γρήγορα και αποτελεσματικά. Για οτιδήποτε χρειαστείτε μην διστάσετε να επικοινωνήσετε μαζί μας στο **211 780 1000**, θα χαρούμε να σας εξυπηρετήσουμε.

Η multisystems διαθέτει και υποστηρίζει



Barcode scanners

Ενσύρματα | Ασύρματα | 2D Imagers | Bluetooth IOS / Android | Λιανικής



Εκτυπωτές ετικετών & αναλώσιμα

Επιτραπέζιοι | Βιομηχανικοί | Έγχρωμοι | Ετικέτες | Μελανοταινίες



Φορητά τερματικά

Φορητά τερματικά | Βιομηχανικά Tablets | Τερματικά αυτοκινήτου / Κλαρκ



Συστήματα λιανικής πώλησης Point of sale

Συστήματα POS | Touchscreen οθόνες | Θερμικοί εκτυπωτές



Λύσεις πλαστικών καρτών

Εκτυπωτές πλαστικών καρτών | Αναλώσιμα | Πλαστικές κάρτες PVC



Φορολογικά προϊόντα

Ταμειακές μηχανές | Φορολογικοί μηχανισμοί | Φορολογικοί εκτυπωτές

Συνεργαζόμενοι οίκοι

DATALOGIC

ZEBRA

hp Gold Partner

Honeywell

PERFORMANCE PARTNER PROGRAM SILVER LEVEL

EPSON AUTHORISED PARTNER 2015

Intermec®

do™

datamax • o'neil

elo TOUCH SOLUTIONS

socket® mobile

evolis card printers

AVATO

CITIZEN Micro HumanTech



multisystems

ACR Electronics ΕΠΕ

Λεωφ. Θηβών 339, 122 43, Αιγάλεω

<http://www.multisystems.gr> | info@multisystems.gr

Tel. 211 780 1000 Fax 211 780 2000