

# CITIZEN

Micro HumanTech

## Great performance - Small price The CT-S310II series

## CITIZEN CT-S310II

POS



### Well connected

Choose between the serial and USB interface on the CT-S310II



or the Ethernet and USB interface on the CT-S310II LAN.



### Tool-free maintenance

Paper jam? No problem. Citizen's unique self-retracting cutter automatically clears paper jams. Heads, platens and cutters can be changed without any tools.



### Long Life Print

The new LLP function can extend the print head life to 200km or more.

### Applications

- Receipts & Invoices
- Discount Coupons
- Picking & Delivery Slips
- Daily Reports & Logs
- Kitchen Tickets & Orders



**Smart Design in black and pure white**  
Today's retail environment must be stylish and in a functional design. Choose the perfect colour for your demand.



# CITIZEN

Micro HumanTech


## Environmentally friendly

From production and packaging to utilisation and recycling the CT-S310II fullfills today's demand for green IT products. The integrated ENERGY STAR® power supply is one of the most efficient at managing power consumption.



## CITIZEN CT-S310II

POS



## Specifications

<b>Model</b>	CT-S310II Serial	CT-S310II LAN
<b>Printing method</b>	Line thermal dot printing	
<b>Printing width</b>	80mm paper: 72mm/576 dots 58mm paper: 48mm/384 dots	
<b>Dot pitch</b>	8 x 8 dots/mm (203 dpi x 203 dpi)	
<b>Printing speed</b>	Max. 160mm/sec.	
<b>Number of columns</b>	80mm paper: Font A: 48 columns, Font B: 64 columns, Font C: 72 columns 58mm paper: Font A: 35/32columns, Font B 46/42 columns, Font C: 52/48 columns	
<b>Character size</b>	Font A: 1.50 x 3.00mm (12 x 24 dots) Font B: 1.13 x 3.00mm (9 x 24 dots) Font C: 1.00 x 2.00mm (8 x 16 dots)	
<b>Character table</b>	Code page 437, 850, 852,8 57, 858, 860, 863, 864, 865, 866, Katakana, WPC1252, Thai code 18	
<b>Barcode type</b>	UPC-A/E, JAN-13/8, ITF, Code 39, Code 128, CODABAR,Code 93, GS1 Databar, PDF417, QR Code	
<b>Line spacing</b>	4.25mm (1/6 inch); adjustable by user comand	
<b>Paper</b>	Thermal paper roll, 80 or 58mm (W)x Ø83mm	
<b>Interface</b>	Serial (RS-232C) + full speed USB	LAN 10/100 Ethernet + full speed USB
<b>NV user memory</b>	Input buffer	4 Kb or 45 bytes, selectable
	Non-Volatile Memory	User area for characters: 192 Kb, user area for graphics: 384 Kb
<b>Drawer kick-out</b>	2 Drawers	
<b>Power</b>	Input: 100 - 240 volts AC, 47 - 63 Hz, ENERGY STAR® approved	
<b>Power consumption</b>	Printing 40 W, Sleep 0.7 W, Standby 0.15 W	
<b>Weight</b>	1,9 kg	
<b>Dimension (W x D x H)</b>	140 x 195 x 132 mm	
<b>Operating environment</b>	+5 to +45°C, 10 to 90% RH	
<b>Storage environment</b>	-20 to +60°C, 10 to 90% RH	
<b>Reliability</b>	300 million pulses or 150 Km (200 Km or more with Long Life Print mode) Autocutter: 2 million cuts	

All product names are trademarks of the respective manufacturers. Epson® and ESC/POS™/® are trademarks or registered trademarks of Seiko Epson Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded.

## Features & Benefits

- 160 mm/second print speed
- 80 or 58 mm selectable paper width
- Built in USB with LAN or Serial interface
- Internal ENERGY STAR® power supply
- Low power consumption including USB power save mode
- Self-retracting cutter automatically clears paper jams
- Tool-free maintenance for cutter, print head and platen
- Long-Life-Print mode extends the print head life
- Cash drawer kick-out
- Memory to store logos and fonts
- Barcode printing including GS1 DataBar and 2D barcodes
- ESC/POS™/® compatibility
- Easy customization by utilities
- Available in black or pure white



# multisystems

Η multisystems διανέμει και υποστηρίζει τεχνικά, προϊόντα από τους μεγαλύτερους οίκους κατασκευής σε Barcode scanners, εκτυπωτές ετικετών, φορητά τερματικά, λύσεις πλαστικών καρτών τύπου πιστωτικής καθώς και συστήματα λιανικής πώλησης όπως συστήματα Point of sale, ταμειακές μηχανές και φορολογικούς μηχανισμούς.

Στις εγκαταστάσεις μας στο Αιγάλεω λειτουργεί πλήρως εξοπλισμένο τεχνικό εργαστήριο με άρτια καταρτισμένους μηχανικούς που μπορούν να δώσουν λύσεις ακόμα και στις πιο δύσκολες μηχανογραφικές προκλήσεις του χώρου της βιομηχανίας, της εφοδιαστικής αλυσίδας και της λιανικής.

Σας εξυπηρετούμε έναν – έναν προσωπικά προσφέροντας σας τον προσωπικό σας τεχνικό σύμβουλο ο οποίος γνωρίζει τις ανάγκες και τις ιδιαιτερότητες της επιχείρησής σας ενώ σας εξυπηρετεί σε όλη την πορεία της συνεργασίας σας μαζί μας ή εξέλιξης του έργου σας. Είμαστε δίπλα σας να σας συμβουλέψουμε να επιλέξετε τον σωστό εξοπλισμό μέσα από μια ευρύτατη γκάμα 12.000 προϊόντων τεχνολογίας για όλες τις ανάγκες από τα πιο επώνυμα εργοστάσια της παγκόσμιας αγοράς.

Για την καλύτερη εξυπηρέτησή σας έχουμε διαχωρίσει τα εμπορικά και τα τεχνικά μας τμήματα σε 6 διακριτές ενότητες τις οποίες μπορείτε να δείτε στον πίνακα που ακολουθεί προκειμένου να σας εξυπηρετούμε γρήγορα και αποτελεσματικά. Για οτιδήποτε χρειαστείτε μην διστάσετε να επικοινωνήσετε μαζί μας στο **211 780 1000**, θα χαρούμε να σας εξυπηρετήσουμε.

Η multisystems διαθέτει και υποστηρίζει



### Barcode scanners

Ενσύρματα | Ασύρματα | 2D Imagers | Bluetooth IOS / Android | Λιανικής



### Εκτυπωτές ετικετών & αναλώσιμα

Επιτραπέζιοι | Βιομηχανικοί | Έγχρωμοι | Ετικέτες | Μελανοταινίες



### Φορητά τερματικά

Φορητά τερματικά | Βιομηχανικά Tablets | Τερματικά αυτοκινήτου / Κλαρκ



### Συστήματα λιανικής πώλησης Point of sale

Συστήματα POS | Touchscreen οθόνες | Θερμικοί εκτυπωτές



### Λύσεις πλαστικών καρτών

Εκτυπωτές πλαστικών καρτών | Αναλώσιμα | Πλαστικές κάρτες PVC



### Φορολογικά προϊόντα

Ταμειακές μηχανές | Φορολογικοί μηχανισμοί | Φορολογικοί εκτυπωτές

Συνεργαζόμενοι οίκοι

**DATALOGIC**

**ZEBRA**

**hp Gold Partner**

**Honeywell**

**PERFORMANCE PARTNER PROGRAM SILVER LEVEL**

**EPSON AUTHORISED PARTNER 2015**

**Intermec®**

**do™**

**datamax • o'neil**

**elo TOUCH SOLUTIONS**

**socket® mobile**

**evolis card printers**

**AVATO**

**CITIZEN Micro HumanTech**



multisystems

ACR Electronics ΕΠΕ

Λεωφ. Θηβών 339, 122 43, Αιγάλεω

<http://www.multisystems.gr> | [info@multisystems.gr](mailto:info@multisystems.gr)

Tel. 211 780 1000 Fax 211 780 2000