

Epson TM-P60II Series



The Epson TM-P60II is a second-generation, wireless mobile receipt printer from the world's leading POS printer manufacturer¹. Offering a brilliantly simple printing solution, the hand-held TM-P60II prints directly from mobile devices² – no drivers needed.

Unique, built-in intelligence, called Epson ePOS-Print, enables the TM-P60II to receive XML commands from web applications, and to print directly from popular web browsers. This makes integration and maintenance easy.

To help serve customers quickly, the high-performance TM-P60II prints receipts at up to 100mm/sec. Drop-in paper loading ensures there are no delays.

The TM-P60II is designed for maximum reliability, with a rugged case. Its battery lasts for up to 46 hours in Bluetooth mode, and up to four batteries can be charged simultaneously using the optional charging unit.

DATASHEET



KEY FEATURES

- **Convenience**
Wireless, hand-held POS printing
- **High-performance**
Prints receipts at up to 100mm/sec
- **Reliability**
Compact and robust design
- **Epson ePOS-Print**
XML command compatible
- **Easy integration**
No drivers to install or update

PRODUCT SPECIFICATIONS

Print speed	100 mm/sec
FONTS & STYLES	
Print Speed receipt	100 mm/sec
Print Speed	100 mm/sec
Printing Font	ANK
Printing Font Receipt	ANK
Character size	1.5 mm (W) x 3 mm (H) / 1.25 mm (W) x 3 mm (H)
Character set	95 Alphanumeric, 18 set International, 128 x 43 Graphic
Dot density	203 dpi x 203 dpi
Printing Characters	Text (incl. Euro symbol), Graphics, Barcode
INTERFACES	
Interfaces	Bluetooth (optional), Wireless LAN IEEE 802.11a/b/g/n (optional), USB 2.0 Type Mini-B
POWER	
Power Supply	PS-11, UK AC cable, EURO AC cable
Battery Life	WiFi 14 Hours, WiFi (Energy saving mode) 27 Hours, Bluetooth 46 Hours
Operating voltage	24 V
GENERAL	
Product dimensions	103 x 159 x 65 mm (Width x Depth x Height)
Product weight	0.63 kg
Colour	Black (EBCK)
Noise Level	Operation: 53 dB (A)
Humidity	Operation 10% - 90%
DATA BUFFER	
Data Buffer	64 kB
STANDARDS COMPLIANCE	
EMC Standards	FCC class A, CE marking
Safety standards	UL, CSA, EN
OTHER FEATURES	
Cutter	Partial Cut
Preloaded SW	ePOS-Print®
Sensors	Roll paper cover open sensor, Paper End Sensor
OTHER	
Warranty	12 months Carry in Optional warranty extension available

LOGISTICS INFORMATION

Dimensions Single Carton	229 x 185 x 104 mm
Carton Weight	1 Kg
Multiple Order Quantity	1 Units
Pallet Size Euro	432 Units (54 x 8)



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83
Ireland 01 436 7742
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway
+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429
South Africa (+2711) 465-9621
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)
Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

Epson TM-P60II Series

WHAT'S IN THE BOX

- Battery (OY-BY60II)
- Belt clip
- Cable fixation saddle
- Main unit
- Roll paper
- USB cable

OPTIONAL ACCESSORIES

- OT-CH60II: Multi battery charger for TM-P60II/P80 C32C825374
- PS-11: Power supply for TM-P60II/P80 C32C825375
- OT-BY60II: Lithium-ion battery for TM-P60II/P80 C32C831091
- OT-SB60II: Single battery charger for TM-P60II/P80 C32C881007

EPSON®

1. Source: Futuresource Consulting Limited, www.futuresource-consulting.com
2. ePOS-Print is available in WLAN mode only

Epson TM-P60II Peeler Series



The Epson TM-P60II Peeler is a second-generation, wireless mobile label printer from the world's leading POS printer manufacturer¹. Offering a brilliantly simple printing solution, the hand-held TM-P60II Peeler prints directly from mobile devices² – no drivers needed.

Unique, built-in intelligence, called Epson ePOS-Print, enables the TM-P60II Peeler to receive XML commands from web applications, and to print directly from popular web browsers. This makes integration and maintenance easy.

Ideal for shelf-edge labelling and product tagging, the TM-P60II Peeler gets the job done quickly with high-performance printing at up to 80mm/sec. Drop-in paper loading helps save time.

The TM-P60II Peeler is designed for maximum reliability, with a rugged case. Its battery lasts for up to 46 hours in Bluetooth mode, and up to four batteries can be charged simultaneously using the optional charging unit.

DATASHEET



KEY FEATURES

- **Convenience**
Wireless, hand-held label printing
- **High-performance**
Prints labels at up to 80mm/sec
- **Reliability**
Compact and robust design
- **Epson ePOS-Print**
XML command compatible
- **Easy integration**
No drivers to install or update

PRODUCT SPECIFICATIONS

FONTS & STYLES

Print Speed (label)	80 mm/sec
Print Speed (peeler mode)	40 mm/sec
Dot density	203 dpi x 203 dpi

INTERFACES

Interfaces	USB 2.0 Type Mini-B, Wireless LAN IEEE 802.11 a/b/g/n (optional), Bluetooth (optional)
------------	--

POWER

Power Supply	PS-11
Battery Life	WiFi 14 Hours, WiFi (Energy saving mode) 27 Hours, Bluetooth 46 Hours
Operating voltage	24 V

GENERAL

Product dimensions	103 x 159 x 65 mm (Width x Depth x Height)
Product weight	0.61 kg
Colour	Black (EBCK)
Noise Level	Operation: 53 dB (A)
Humidity	Operation 10% - 90%

DATA BUFFER

Data Buffer	4,096 Bytes
-------------	-------------

STANDARDS COMPLIANCE

EMC Standards	FCC class B, CE marking
Safety standards	UL, CSA, EN

OTHER

Warranty	12 months Carry in Optional warranty extension available
----------	---

LOGISTICS INFORMATION

Dimensions Single Carton	229 x 185 x 104 mm
Carton Weight	1 Kg
Multiple Order Quantity	1 Units
Pallet Size Euro	432 Units (54 x 8)

Epson TM-P60II Peeler Series

WHAT'S IN THE BOX

- Battery (OY-BY60II)
- Belt clip
- Cable fixation saddle
- Main unit
- Roll paper
- USB cable

OPTIONAL ACCESSORIES

- PS-11: Power supply for TM-P60II/P80 C32C825375
- OT-CH60II: Multi battery charger for TM-P60II/P80 C32C825374
- OT-BY60II: Lithium-ion battery for TM-P60II/P80 C32C831091
- OT-SB60II: Single battery charger for TM-P60II/P80 C32C881007



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83
Ireland 01 436 7742
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway
+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429
South Africa (+2711) 465-9621
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)
Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Source: Futuresource Consulting Limited, www.futuresource-consulting.com
2. ePOS-Print is available in WLAN mode only

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.



multisystems

Η multisystems διανέμει και υποστηρίζει τεχνικά, προϊόντα από τους μεγαλύτερους οίκους κατασκευής σε Barcode scanners, εκτυπωτές ετικετών, φορητά τερματικά, λύσεις πλαστικών καρτών τύπου πιστωτικής καθώς και συστήματα λιανικής πώλησης όπως συστήματα Point of sale, ταμειακές μηχανές και φορολογικούς μηχανισμούς.

Στις εγκαταστάσεις μας στο Αιγάλεω λειτουργεί πλήρως εξοπλισμένο τεχνικό εργαστήριο με άρτια καταρτισμένους μηχανικούς που μπορούν να δώσουν λύσεις ακόμα και στις πιο δύσκολες μηχανογραφικές προκλήσεις του χώρου της βιομηχανίας, της εφοδιαστικής αλυσίδας και της λιανικής.

Σας εξυπηρετούμε έναν – έναν προσωπικά προσφέροντας σας τον προσωπικό σας τεχνικό σύμβουλο ο οποίος γνωρίζει τις ανάγκες και τις ιδιαιτερότητες της επιχείρησής σας ενώ σας εξυπηρετεί σε όλη την πορεία της συνεργασίας σας μαζί μας ή εξέλιξης του έργου σας. Είμαστε δίπλα σας να σας συμβουλέψουμε να επιλέξετε τον σωστό εξοπλισμό μέσα από μια ευρύτατη γκάμα 12.000 προϊόντων τεχνολογίας για όλες τις ανάγκες από τα πιο επώνυμα εργοστάσια της παγκόσμιας αγοράς.

Για την καλύτερη εξυπηρέτησή σας έχουμε διαχωρίσει τα εμπορικά και τα τεχνικά μας τμήματα σε 6 διακριτές ενότητες τις οποίες μπορείτε να δείτε στον πίνακα που ακολουθεί προκειμένου να σας εξυπηρετούμε γρήγορα και αποτελεσματικά. Για οτιδήποτε χρειαστείτε μην διστάσετε να επικοινωνήσετε μαζί μας στο **211 780 1000**, θα χαρούμε να σας εξυπηρετήσουμε.

Η multisystems διαθέτει και υποστηρίζει



Barcode scanners

Ενσύρματα | Ασύρματα | 2D Imagers | Bluetooth IOS / Android | Λιανικής



Εκτυπωτές ετικετών & αναλώσιμα

Επιτραπέζιοι | Βιομηχανικοί | Έγχρωμοι | Ετικέτες | Μελανοταινίες



Φορητά τερματικά

Φορητά τερματικά | Βιομηχανικά Tablets | Τερματικά αυτοκινήτου / Κλαρκ



Συστήματα λιανικής πώλησης Point of sale

Συστήματα POS | Touchscreen οθόνες | Θερμικοί εκτυπωτές



Λύσεις πλαστικών καρτών

Εκτυπωτές πλαστικών καρτών | Αναλώσιμα | Πλαστικές κάρτες PVC



Φορολογικά προϊόντα

Ταμειακές μηχανές | Φορολογικοί μηχανισμοί | Φορολογικοί εκτυπωτές

Συνεργαζόμενοι οίκοι

DATALOGIC

ZEBRA

hp Gold Partner

Honeywell

PERFORMANCE PARTNER PROGRAM SILVER LEVEL

EPSON AUTHORISED PARTNER 2015

Intermec®

do™

datamax • o'neil

elo TOUCH SOLUTIONS

socket® mobile

evolis card printers

AVATO

CITIZEN Micro HumanTech



multisystems

ACR Electronics ΕΠΕ

Λεωφ. Θηβών 339, 122 43, Αιγάλεω

<http://www.multisystems.gr> | info@multisystems.gr

Tel. 211 780 1000 Fax 211 780 2000