

Getac

Rugged Mobile Computing Solutions

B300

Fully Rugged Notebook



- 4th Generation Intel® Core™ i7/i5 vPro™ Processor
- 13.3 " Getac QuadraClear® Sunlight Readable Display up to 1400 Nits
- Up to 30 Hours of Battery Life with Dual Battery System
- USB 3.0 and eSATA



Vehicle Dock



Office Dock



Rugged Mobile Computing Solutions



Specifications

Operating System	Windows® 7 Professional
Mobile Computing Platform	Intel® Core™ i7 vPro™ Technology - Intel® Core™ i7-4600M vPro™ Processor 2.9GHz, Max 3.6GHz, with Intel® Turbo Boost Technology - 4MB L3 Intel® Smart Cache - Mobile Intel® QM87 Express chipset Intel® Core™ i5 vPro™ Technology - Intel® Core™ i5-4300M vPro™ Processor 2.6GHz, Max. 3.3GHz with Intel® Turbo Boost Technology - 3MB L3 Intel® Smart Cache - Mobile Intel® QM87 Express chipset
VGA Controller	Intel® HD Graphics 4600 ⁱ
Display	13.3" TFT LCD XGA (1024 x 768) 700 nits display Optional 1400 nits QuadraClear® sunlight readable display with touchscreen
Storage & Memory	4GB DDR3 expandable to 8GB SATA HDD 500GB Optional SATA SSD 128GB / 256GB
Keyboard	LED backlit membrane keyboard Optional LED backlit rubber keyboard
Pointing Device	Touchscreen - Optional pressure sensitive touchscreen Touchpad - Glide touchpad with scroll bar
Expansion Slot	PCMCIA Type II x 1 + ExpressCard/54 x 1 SD card reader x 1
Multimedia Bay	DVD super multi drive Optional 2nd battery Optional 2nd storage: HDD 500 GB ; SSD 128 / 256 GB
I/O Interface	Serial port (9-pin; D-sub) x 2 External VGA (15-pin; D-sub) x 1 Microphone (Mini-jack) x 1 Audio output (Mini-jack) x 1 DC in Jack x 1 USB 3.0 (9-pin) x 1 USB 3.0 / eSATA Combo x 2 LAN (RJ45) x 1 HDMI IEEE 1394a x 1 External GPS antenna port (only with optional GPS) x 1 Docking connector (80-pin) x 1 Optional RF antenna pass-through for GPS and WWAN

Communication Interface	10/100/1000 base-T Ethernet Intel® Dual Band Wireless-AC 7260, 802.11ac Bluetooth (v4.0 class 1) ⁱⁱ Optional SiRFstarIV™ GPS
Software	Getac Utility Adobe® Reader®
Security Feature	Intel® vPro™ Technology TPM 1.2 Fingerprint scanner Smart card reader (only with DVD Super Multi Drive) Kensington lock
Power	AC adapter (90W, 100-240VAC, 50 / 60Hz) Li-Ion smart battery (10.8V, 8700mAh) (up to 15 hours of battery life)ⁱⁱⁱ Optional Multimedia Bay 2nd Li-Ion smart battery (10.8V, 8700mAh)
Dimension (W x D x H) & Weight	303.5 x 263 x 60 mm (11.9" x 10.35" x 2.36"), 3.5 kg (7.7 lbs) ^{iv}
Rugged Feature	MIL-STD-810G certified and IP65 certified MIL-STD-461F certified ^v Optional ANSI/ISA 12.12.01 Full magnesium alloy case Shock-protected removable HDD Vibration & drop resistant Optional salt fog compliance Optional night vision
Environmental Specification	Temperature ^{vi} : - Operating: -29°C to 60°C / -20°F to 140°F - Storage: -51°C to 71°C / -60°F to 160°F Humidity: - 95% RH , non-condensing
Optional Accessories	Carry bag Battery charger Vehicle adapter (90W, 11-16VDC and 22-32VDC) MIL-STD-461F certified AC adapter (90W, 100-240VAC) Multimedia bay 2nd battery (10.8V, 8700mAh) Multimedia bay 2nd HDD Stylus and tether Protection film Main battery (10.8V, 8700mAh) AC adapter (90W, 100-240VAC) Vehicle dock Office dock

Docking Solutions

	Dimension (W x D x H)	Serial Port	External VGA	Microphone	Audio Output	DC in Jack	USB	LAN	RF Antenna Connector
Vehicle Dock	353.8 x 315 x 97.8 mm (13.93" x 12.40" x 3.85")	2	1	1	1	1	4	1	2 (optional)
Office Dock	329 x 125 x 94 mm (13" x 4.9" x 3.7")	2	1	1	1	1	4	1	--

ⁱ Share memory size may vary by different operating system and RAM size.

ⁱⁱ Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.

ⁱⁱⁱ Battery life testing conducted under MobileMark 2007. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

^{iv} Weight varies from configurations and optional accessories.

^v MIL-STD-461F 90W AC adapter sold separately

^{vi} Tested by a national independent third party test lab following MIL-STD-810G



Getac Technology Corporation

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 11568, Taiwan, R.O.C.

Tel: +886 2 2785 7888
 globalmarketing@getac.com
 www.getac.com



multisystems

Η multisystems διανέμει και υποστηρίζει τεχνικά, προϊόντα από τους μεγαλύτερους οίκους κατασκευής σε Barcode scanners, εκτυπωτές ετικετών, φορητά τερματικά, λύσεις πλαστικών καρτών τύπου πιστωτικής καθώς και συστήματα λιανικής πώλησης όπως συστήματα Point of sale, ταμειακές μηχανές και φορολογικούς μηχανισμούς.

Στις εγκαταστάσεις μας στο Αιγάλεω λειτουργεί πλήρως εξοπλισμένο τεχνικό εργαστήριο με άρτια καταρτισμένους μηχανικούς που μπορούν να δώσουν λύσεις ακόμα και στις πιο δύσκολες μηχανογραφικές προκλήσεις του χώρου της βιομηχανίας, της εφοδιαστικής αλυσίδας και της λιανικής.

Σας εξυπηρετούμε έναν – έναν προσωπικά προσφέροντας σας τον προσωπικό σας τεχνικό σύμβουλο ο οποίος γνωρίζει τις ανάγκες και τις ιδιαιτερότητες της επιχείρησής σας ενώ σας εξυπηρετεί σε όλη την πορεία της συνεργασίας σας μαζί μας ή εξέλιξης του έργου σας. Είμαστε δίπλα σας να σας συμβουλέψουμε να επιλέξετε τον σωστό εξοπλισμό μέσα από μια ευρύτατη γκάμα 12.000 προϊόντων τεχνολογίας για όλες τις ανάγκες από τα πιο επώνυμα εργοστάσια της παγκόσμιας αγοράς.

Για την καλύτερη εξυπηρέτησή σας έχουμε διαχωρίσει τα εμπορικά και τα τεχνικά μας τμήματα σε 6 διακριτές ενότητες τις οποίες μπορείτε να δείτε στον πίνακα που ακολουθεί προκειμένου να σας εξυπηρετούμε γρήγορα και αποτελεσματικά. Για οτιδήποτε χρειαστείτε μην διστάσετε να επικοινωνήσετε μαζί μας στο **211 780 1000**, θα χαρούμε να σας εξυπηρετήσουμε.

Η multisystems διαθέτει και υποστηρίζει



Barcode scanners

Ενσύρματα | Ασύρματα | 2D Imagers | Bluetooth IOS / Android | Λιανικής



Εκτυπωτές ετικετών & αναλώσιμα

Επιτραπέζιοι | Βιομηχανικοί | Έγχρωμοι | Ετικέτες | Μελανοταινίες



Φορητά τερματικά

Φορητά τερματικά | Βιομηχανικά Tablets | Τερματικά αυτοκινήτου / Κλαρκ



Συστήματα λιανικής πώλησης Point of sale

Συστήματα POS | Touchscreen οθόνες | Θερμικοί εκτυπωτές



Λύσεις πλαστικών καρτών

Εκτυπωτές πλαστικών καρτών | Αναλώσιμα | Πλαστικές κάρτες PVC



Φορολογικά προϊόντα

Ταμειακές μηχανές | Φορολογικοί μηχανισμοί | Φορολογικοί εκτυπωτές

Συνεργαζόμενοι οίκοι

DATALOGIC

ZEBRA

hp Gold Partner

Honeywell

PERFORMANCE PARTNER PROGRAM SILVER LEVEL

EPSON AUTHORISED PARTNER 2015

Intermec®

do™

datamax • o'neil

elo TOUCH SOLUTIONS

socket® mobile

evolis card printers

AVATO

CITIZEN Micro HumanTech



multisystems

ACR Electronics ΕΠΕ

Λεωφ. Θηβών 339, 122 43, Αιγάλεω

<http://www.multisystems.gr> | info@multisystems.gr

Tel. 211 780 1000 Fax 211 780 2000