

Dolphin 7800

Enterprise Digital Assistant (EDA)


For demanding mobile workforce applications that require multiple tasks be completed in a limited amount of time, Honeywell's Dolphin® 7800 rugged enterprise digital assistant (EDA) delivers multi-purpose computing, communication, and data collection at desktop-like speed, empowering workers to get the job done, regardless of location.

Mobile workers need compact, lightweight devices that are designed for durability and usability. With a magnesium inner chassis and engineering-grade plastic housings, the Dolphin 7800 provides the durability needed to withstand daily use in challenging environments, without the extra bulk that often accompanies industrial-grade mobile computers.

A large, high-resolution, outdoor- and off-axis-viewable screen maximizes productivity and ensures easy viewing of data in virtually any lighting condition. Multiple keypad options allows enterprises to choose the layout that best suits the needs of their mobile workforce. Adaptus® Imaging Technology 6.0 enables fast scanning of linear and 2D bar codes in various lighting conditions, while an integrated color camera enables seamless image and video capture.

The Dolphin 7800 also incorporates the latest in wireless technology, including a software-definable radio option that allows on-the-fly switching between GSM and CDMA networks, leading to continuous data coverage and lower device provisioning and deployment costs. Additionally, built-in Wi-Fi provides access to critical data using the new, lightning fast 802.11n standard, as well as legacy a/b/g protocols.

When an oversized industrial-grade mobile computer provides more than what is needed, Honeywell's Dolphin 7800 rugged EDA provides a reliable, affordably-priced alternative that offers versatile data collection and real-time communication for mobile workers in a compact and lightweight design.



Features

- **Lightweight and Compact Design:** Reduces user fatigue by offering all of the functionality needed in an easy-to-carry form factor
- **Rugged and Reliable:** Durable construction and sealing deliver reliable operation and maximize worker uptime
- **Superior 3.5" Outdoor-Viewable VGA Display:** Allows mobile workers to seamlessly interact with data in virtually any lighting condition
- **Fast and Reliable Wireless Connectivity:** Delivers full wireless coverage for applications inside and outside of the four walls, allowing real-time access to critical data
- **Powerful Processor and Network Connections:** Delivers fast business transactions, allowing workers to complete multiple tasks quickly
- **Remote MasterMind® Ready:** Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices
- **Service Made Simple™ Service Plans:** Offers comprehensive, hassle-free protection on the device investment for up to three years after purchase, lowering the total cost of ownership

Dolphin 7800 Technical Specifications

Mechanical

Dimensions	Standard Battery: 157 mm x 76 mm x 28 mm (6.2" x 3.0" x 1.1") Extended Battery: 157 mm x 76 mm x 33 mm (6.2" x 3.0" x 1.3")
Weight	Standard Battery: 324g (11.4 oz); Extended Battery: 380 g (13.4 oz)

Environmental

Operating Temperature	-10° to 50°C (14° to 122°F)
Storage Temperature	-20° to 70°C (-13° to 158°F)
Humidity	0 to 95% relative humidity (non-condensing)
Drop	Designed to withstand 5' (1.5m) drops to concrete
Tumble	Designed to withstand up to 1,600 (1m) tumbles per IEC 60068-2-32 specification
ESD	±15KV Air and ±8KV Contact
Environmental Sealing	Independently certified to meet IP64 standards for moisture and particle intrusion

System Architecture

Processor	800MHz TI OMAP
Operating System	Microsoft® Windows® Embedded Handheld 6.5
Memory	256 MB RAM X 512 MB Flash
Display	8.9 cm (3.5") VGA color, high resolution, full axis viewing, sunlight readable display
Touch Panel	Industrial touch panel with 4 wire resistive touch and support for finger touch and stylus
Keypad	Standard Keyboards: 30-key numeric and 46-key QWERTY
Audio	Speaker, HAC receiver, microphone, vibrator, echo cancellation, Bluetooth® headset support
I/O Ports	USB 2.0
Camera	3.0 mega pixel camera; autofocus; flash LED
Sensors	3-Axis/2g Accelerometer
Storage Expansion	User accessible microSD slot (SDHC compatible). Please check with your Honeywell representative for available qualified card options
Battery	Standard: Li-ion 3.7 V, 2300 mAh; Extended: Li-ion 3.7 V, 4000 mAh
Hours of Operation	Standard/Extended: 6.5 hours/12 hours (decoding and sending data over WLAN every 9 seconds) Extended: 8.5 hours (decoding and sending data over WWAN every 15 seconds, GPS continuously receiving data)
Decode Options	Supports the following Adaptus 6.0 imaging scan engines: N5603-SR, N5603-ER
Decode Capabilities	Decodes standard 1D and 2D bar code symbologies
Development Environment	Honeywell SDK for Microsoft Windows Embedded Handheld 6.5
HSM Application Software	Honeywell Powertools® and Demos, Remote MasterMind™ for Mobility remote device management
Warranty	1 year factory warranty

Wireless Connectivity

WWAN	GSM (Voice and Data): 3.9G-HSPA+ (800/850/1900/1700/2100 MHz), GSM/GPRS/EDGE (850/900/1800/1900 MHz) CDMA (Voice and Data): EVDO Rev A - 1xRTT/EVDO (800/1900 MHz) Software definable Gobi 3000 (Data only): 3.9G - HSPA+/UMTS (800/850/900/1700/1900/2100MHz), GSM/GPRS/EDGE (850/900/1800/1900MHz) and EVDO Rev A - 1xRTT/EVDO (800/1900 MHz)
WLAN	IEEE 802.11 a/b/g/n; Wi-Fi™ certified
WLAN Security	WEP, 802.1x, LEAP, TKIP, MD5, EAP-TLS, EAP-TTLS, WPA-PSK, WPA v2.0, PEAP, WAPI, CCXv4
WPAN	2.4 GHz (ISM Band) Adaptive Frequency Hopping Bluetooth® v2.1 + EDR; Class II: 10m (33') line of sight
GPS	Integrated autonomous GPS receiver with built-in Assisted-GPS (A-GPS) services and software utilities

Microsoft, Windows, and the Windows Logo are registered trademarks or trademarks of Microsoft Corporation. The Bluetooth trademarks are owned by Bluetooth SIG, Inc. U.S.A. and licensed to Honeywell International Inc.

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance

For a complete listing of all supported bar code symbologies, please visit www.honeywellaidc.com/symbologies



For more information:

www.honeywellaidc.com

Honeywell Scanning & Mobility

9680 Old Bailes Road
Fort Mill, SC 29707
800.582.4263
www.honeywell.com

Honeywell

7800-DS Rev C 03/12
© 2012 Honeywell International Inc.



Dolphin 7800 for Android

Enterprise Digital Assistant (EDA)

Leveraging the modern and user-friendly Google® Android™ operating system packed with Honeywell extras, Honeywell's Dolphin™ 7800 for Android™ rugged EDA offers remote device management capabilities and invaluable security features, creating an enterprise-ready solution with an extended lifecycle and support provided by Honeywell.

For demanding mobile workforce applications that require multiple tasks to be completed in a limited amount of time, the Dolphin 7800 for Android™ enables multi-purpose computing, communication, and data collection at desktop-like speed, empowering workers to get the job done.

Mobile workers need compact, lightweight devices that are designed for durability and usability. With a magnesium inner chassis and engineering-grade plastic housings, the field-proven Dolphin 7800 for Android™ provides unsurpassed reliability, without the extra bulk that often accompanies industrial-grade mobile computers.

A large, high-resolution, outdoor- and off-axis-viewable screen maximizes productivity and ensures easy viewing of data in virtually any lighting condition. Multiple keypad options allow enterprises to choose the layout that best suits the needs of their mobile workforce. Adaptus™ Imaging Technology 6.0 enables fast scanning of linear and 2D bar codes in various lighting conditions, while an integrated color camera enables seamless image and video capture.

When the benefits derived from consumer operating systems are desired in a lightweight yet reliable mobile computing solution, Honeywell's Dolphin 7800 for Android™ rugged EDA delivers the functionality required to protect an enterprise, while maximizing the productivity of its workforce.



Features

- **Honeywell Enhanced Android™ Operating System:** Provides enterprise users with superior remote management capabilities; valuable security features; a user-friendly interface; and a long lifecycle that matches that of the traditional Dolphin 7800 offering
- **Lightweight and Compact Design:** Reduces user fatigue by offering all of the functionality needed in an easy-to-carry form factor
- **Superior 3.5" Outdoor-Viewable VGA Display:** Allows mobile workers to seamlessly interact with data in virtually any lighting condition
- **Rugged and Reliable:** Durable construction and sealing deliver reliable operation and maximize worker uptime
- **Fast and Reliable Wireless Connectivity:** Delivers full wireless coverage for applications inside and outside of the four walls, allowing real-time access to critical data
- **Powerful Processor and Network Connections:** Delivers fast business transactions, allowing workers to complete multiple tasks quickly
- **Remote MasterMind™ Ready:** Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices
- **Service Made Simple™ Service Plans:** Offers comprehensive, hassle-free protection on the device investment for up to three years after purchase, lowering the total cost of ownership

Dolphin 7800 for Android Technical Specifications

Mechanical

Dimensions	Standard Battery: 157 mm x 76 mm x 28 mm (6.2" x 3.0" x 1.1") Extended Battery: 157 mm x 76 mm x 33 mm (6.2" x 3.0" x 1.3")
Weight	Standard Battery: 324g (11.4 oz); Extended Battery: 380 g (13.4 oz)

Environmental

Operating Temperature	-10° to 50°C (14° to 122°F)
Storage Temperature	-20° to 70°C (-13° to 158°F)
Humidity	0 to 95% relative humidity (non-condensing)
Drop	Designed to withstand 5' (1.5m) drops to concrete
Tumble	Designed to withstand up to 1,600 (1m) tumbles per IEC 60068-2-32 specification
ESD	±15KV Air and ±8KV Contact
Environmental Sealing	Independently certified to meet IP64 standards for moisture and particle intrusion

System Architecture

Processor	800MHz TI OMAP
Operating System	Google® Android™ version 2.3.4 with Honeywell security and manageability features
Memory	256 MB RAM X 512 MB Flash
Display	8.9 cm (3.5") VGA color, high resolution, full axis viewing, sunlight readable display
Touch Panel	Industrial touch panel with 4 wire resistive touch and support for finger touch and stylus
Keypad	Standard Keyboards: 30-key numeric and 46-key QWERTY
Audio	Speaker, HAC receiver, microphone, vibrator, echo cancellation, Bluetooth® headset support
I/O Ports	USB 2.0
Camera	3.0 mega pixel camera; autofocus; flash LED
Sensors	3-Axis/2g Accelerometer
Storage Expansion	User accessible microSD slot (SDHC compatible). Please check with your Honeywell representative for available qualified card options
Battery	Standard: Li-ion 3.7 V, 2300 mAh; Extended: Li-ion 3.7 V, 4000 mAh
Hours of Operation	Standard/Extended: 6.5 hours/12 hours (decoding and sending data over WLAN every 9 seconds) Extended: 8.5 hours (decoding and sending data over WWAN every 15 seconds, GPS continuously receiving data)
Decode Options	Supports the following Adaptus 6.0 imaging scan engines: N5603-SR, N5603-ER
Decode Capabilities	Decodes standard 1D and 2D bar code symbologies
Development Environment	Honeywell SDK for Google® Android™ version 2.3
HSM Application Software	Honeywell Powertools® and Demos, Remote MasterMind™ for Mobility remote device management
Warranty	1 year factory warranty

Wireless Connectivity

WWAN	GSM (Voice and Data): 3.9G-HSPA+ (800/850/1900/1700/2100 MHz), GSM/GPRS/EDGE (850/900/1800/1900 MHz) EDGE (850/900/1800/1900MHz) and EVDO Rev A - 1xRTT/EVDO (800/1900 MHz)
WLAN	IEEE 802.11 a/b/g/n; Wi-Fi™ certified
WLAN Security	64/128 bit WEP, WPA/WPA2 PSK (TKIP, AES), WPA/WPA2 Enterprise (EAP-TLS, EAP-TTLS, PEAPv0/MSCHAPv2, PEAPv1/GTC)
WPAN	2.4 GHz (ISM Band) Adaptive Frequency Hopping Bluetooth® v2.1 + EDR; Class II: 10m (33') line of sight
GPS	Integrated autonomous GPS receiver with built-in Assisted-GPS (A-GPS) services and software utilities

Google® and Android™ are trademarks or registered trademarks of Google® Inc.

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance
For a complete listing of all supported bar code symbologies, please visit www.honeywellaidc.com/symbologies



For more information:

www.honeywellaidc.com

Honeywell Scanning & Mobility

9680 Old Bailes Road

Fort Mill, SC 29707

800.582.4263

www.honeywell.com

Honeywell

7800 Android-DS Rev B 08/12
© 2012 Honeywell International Inc.





multisystems

Η multisystems διανέμει και υποστηρίζει τεχνικά, προϊόντα από τους μεγαλύτερους οίκους κατασκευής σε Barcode scanners, εκτυπωτές ετικετών, φορητά τερματικά, λύσεις πλαστικών καρτών τύπου πιστωτικής καθώς και συστήματα λιανικής πώλησης όπως συστήματα Point of sale, ταμειακές μηχανές και φορολογικούς μηχανισμούς.

Στις εγκαταστάσεις μας στο Αιγάλεω λειτουργεί πλήρως εξοπλισμένο τεχνικό εργαστήριο με άρτια καταρτισμένους μηχανικούς που μπορούν να δώσουν λύσεις ακόμα και στις πιο δύσκολες μηχανογραφικές προκλήσεις του χώρου της βιομηχανίας, της εφοδιαστικής αλυσίδας και της λιανικής.

Σας εξυπηρετούμε έναν – έναν προσωπικά προσφέροντας σας τον προσωπικό σας τεχνικό σύμβουλο ο οποίος γνωρίζει τις ανάγκες και τις ιδιαιτερότητες της επιχείρησής σας ενώ σας εξυπηρετεί σε όλη την πορεία της συνεργασίας σας μαζί μας ή εξέλιξης του έργου σας. Είμαστε δίπλα σας να σας συμβουλέψουμε να επιλέξετε τον σωστό εξοπλισμό μέσα από μια ευρύτατη γκάμα 12.000 προϊόντων τεχνολογίας για όλες τις ανάγκες από τα πιο επώνυμα εργοστάσια της παγκόσμιας αγοράς.

Για την καλύτερη εξυπηρέτησή σας έχουμε διαχωρίσει τα εμπορικά και τα τεχνικά μας τμήματα σε 6 διακριτές ενότητες τις οποίες μπορείτε να δείτε στον πίνακα που ακολουθεί προκειμένου να σας εξυπηρετούμε γρήγορα και αποτελεσματικά. Για οτιδήποτε χρειαστείτε μην διστάσετε να επικοινωνήσετε μαζί μας στο **211 780 1000**, θα χαρούμε να σας εξυπηρετήσουμε.

Η multisystems διαθέτει και υποστηρίζει



Barcode scanners

Ενσύρματα | Ασύρματα | 2D Imagers | Bluetooth IOS / Android | Λιανικής



Εκτυπωτές ετικετών & αναλώσιμα

Επιτραπέζιοι | Βιομηχανικοί | Έγχρωμοι | Ετικέτες | Μελανοταινίες



Φορητά τερματικά

Φορητά τερματικά | Βιομηχανικά Tablets | Τερματικά αυτοκινήτου / Κλαρκ



Συστήματα λιανικής πώλησης Point of sale

Συστήματα POS | Touchscreen οθόνες | Θερμικοί εκτυπωτές



Λύσεις πλαστικών καρτών

Εκτυπωτές πλαστικών καρτών | Αναλώσιμα | Πλαστικές κάρτες PVC



Φορολογικά προϊόντα

Ταμειακές μηχανές | Φορολογικοί μηχανισμοί | Φορολογικοί εκτυπωτές

Συνεργαζόμενοι οίκοι

DATALOGIC

ZEBRA

hp Gold Partner

Honeywell

PERFORMANCE PARTNER PROGRAM SILVER LEVEL

EPSON AUTHORISED PARTNER 2015

Intermec

do

datamax • o'neil

elo TOUCH SOLUTIONS

socket mobile

evolis card printers

ATO

CITIZEN Micro HumanTech



ACR Electronics ΕΠΕ

Λεωφ. Θηβών 339, 122 43, Αιγάλεω

<http://www.multisystems.gr> | info@multisystems.gr

Tel. 211 780 1000 Fax 211 780 2000

multisystems